

PAKISTAN JOURNAL OF HEALTH SCIENCES

(LAHORE)

https://thejas.com.pk/index.php/pjhs ISSN (E): 2790-9352, (P): 2790-9344 Volume 6, Issue 09 (September 2025)



Original Article



Factors Affecting Clinical Learning of Undergraduate Nursing Students in Azad Jammu and Kashmir

Sofia Nazar^r, Aurang Zeb², Sobia Idrees³ and Bushra Sultan¹

Department of Nursing, Shifa College of Nursing, Shifa Tameer-e-Millat University, Islamabad, Pakistan

ARTICLE INFO

Keywords:

Factors, Clinical Learning, Undergraduate, Nursing Students

How to Cite:

Nazar, S., Zeb, A., Idrees, S., & Sultan, B. (2025). Factors Affecting Clinical Learning of Undergraduate Nursing Students in Azad Jammu and Kashmir: Clinical Learning Experiences of Nursing Students. Pakistan Journal of Health Sciences, 6(9), 151-157. https://doi.org/10.54393/pjhs.v6i9.3458

*Corresponding Author:

Sofia Nazar

Department of Nursing, Shifa College of Nursing, Shifa Tameer-e-Millat University, Islamabad, Pakistan

sofianazar502@gmail.com

Received Date: 2nd August, 2025 Revised Date: 21st September, 2025 Acceptance Date: 29th September, 2025 Published Date: 30th September, 2025

ABSTRACT

Nursing education encompasses both theoretical knowledge and clinical education, equipping nursing students for their future roles and enabling them to transition from dependency to independent practice. Thus, clinical education is considered integral and irreplaceable in training nursing professionals, allowing them to attain various educational objectives, including enhanced communication skills and critical thinking. Objectives: To identify factors affecting the clinical learning of undergraduate nursing students in Azad Jammu and Kashmir. Methods: This quantitative descriptive cross-sectional design study collected data through a census sampling technique from 286 undergraduate nursing students. Inclusion criteria focused on students who attend at least one complete course of clinical rotation; students who were on leave or not willing were excluded from the study. Data was collected by using structured questionnaires, and analysis was made by using SPSS 26 version. Results: The findings revealed the challenges, such as inadequate supervision (42.7%), time constraints for nursing staff (82.2%), and student hesitation due to fear of errors (75.9%). Factors include hospital collaboration (71%), educator support (74.7%), and patient reluctance (71.7%). Correlation analysis links these factors to demographics, including supervision type and study year. Conclusions: The study findings concluded that clinical learning in nursing students is influenced by supportive environments, clear objectives, and adequate preparation, while barriers like poor supervision, discrimination, and lack of resources. These factors must be addressed through improved educator-student ratios, better training, and collaboration with clinical staff.

INTRODUCTION

Nursing education blends theoretical instruction with hands-on experience to prepare students for independent practice [1]. Clinical education plays a crucial role in bridging the gap between classroom learning and real-life healthcare settings, offering opportunities for the development of communication, critical thinking, and decision-making skills [2]. Through clinical practice, students learn to apply theoretical concepts, uphold moral and ethical standards, and engage in evidence-based care. It also fosters teamwork, helping students to work effectively in multidisciplinary healthcare environments. This integration is vital for developing competent,

empathetic, and safe practitioners. As such, clinical exposure is not supplementary but central to nursing education. Undergraduate nursing programs ensure clinical placements across diverse healthcare settings, each designed with specific learning objectives in mind [3]. Effective clinical education relies on clear goals, supportive guidance from instructors and staff, timely feedback, and student motivation [4]. Clinical learning environment also plays an important role by allowing students to apply theoretical knowledge in real-world settings [5]. It must align with the development of cognitive, psychomotor, and affective domains of learning.

²Department of Nursing, Rehman College of Nursing, Peshawar, Pakistan

³University of Alberta, Canada

While theory enhances knowledge, clinical settings refine skills and professional behavior necessary for effective decision-making [6]. Therefore, a balanced approach involving both theoretical and practical components is essential for holistic nursing education. According to Hashemiparast et al. (2019), the learning environment, shaped by student-preceptor interactions and clinical dynamics, significantly impacts learning outcomes [7]. A supportive and engaging atmosphere, frequent student supervision, student-clinical educator ratio, and interpersonal relationships enhance student satisfaction and performance [8]. Nurse educators must ensure a positive clinical setting where students feel encouraged to learn, practice, and ask questions without hesitation [9]. Multiple factors influence clinical learning, including tutor supervision, resource availability, and individual student engagement [10,11]. Gemuhay et al. (2019) classify these as tutor-related (quidance and feedback), socio-economic (equipment and infrastructure), and individual (student motivation and effort). The effectiveness of clinical instructors and the integration of classroom and lab training with clinical practice are also vital. A wellmaintained instructor-student ratio, ideally 1:12, ensures personalized mentorship and skill monitoring [12]. Additionally, elements like workload, number of available patients, and exposure time in departments further shape students' clinical experiences [13]. Proficiency and confidence in clinical skills developed during foundational nursing education are essential for competent nursing practice [14], yet students often underperform relative to their potential due to various challenges in clinical settings [6]. These challenges hinder effective clinical learning and lead to the production of inadequately prepared nurses, emphasizing the need to identify and address barriers to clinical competence. Real clinical environments, as opposed to simulated labs, play a critical role in cultivating clinical reasoning and practical skills [15]. While international research has examined factors influencing clinical learning, there remains a significant gap in the local context, where studies have been limited in scope, often focusing on diploma-level students or single institutions. There is a need for a broader investigation into diverse, context-specific factors affecting clinical education.

This study aims to identify the factors affecting clinical learning of undergraduate nursing students in public and private nursing colleges of Azad Jammu and Kashmir.

METHODS

This quantitative descriptive cross-sectional design study was conducted from March 2023 to August 2023 at Shifa International Hospital, Islamabad. Ethical approval from the Institutional Review Board (Ref. No. 0176-23) of Shifa International Hospital, Islamabad. Participants were

recruited through a census sampling, with a sample of 286. After obtaining informed written consent, participants were thoroughly briefed on the study's objectives, data collection procedures, and potential risks and benefits. Ethical considerations were strictly adhered to, ensuring participant autonomy, confidentiality, and informed consent throughout the study. Bachelor of Science in Nursing (BSN) students who attended at least one complete major nursing course clinical, who are 2nd year, 3rd year, and 4th year, were included in the study. Students who were not willing to participate in the study were excluded from the exclusion criteria. The maximum participants were from the State College of Nursing (institution A) that were 241(84.3%), and only 45 (15.7%) of participants were from Mohi-ud-Din College of Nursing (institution B). The reason for that disparity was that institution B was recently established, and only one class was fulfilling the inclusion criteria. Data were collected by the primary researcher using a validated and adapted structured questionnaire. After getting permission from the primary researcher few amendments were made, and calculated with a validity coefficient of 0.91, a reliability score of 0.87 (Cronbach's Alpha), and pilot-tested with 43 students. The questionnaire covered demographic information and 40 items related to factors influencing clinical learning covering five domains, including students' related factors, hospital-based factors, clinical educatorrelated factors, nursing colleges-based factors, and patients-related factors. Data analysis was conducted using SPSS version 26, and frequencies and percentages were employed for the categorical variables.

RESULTS

Out of 286 participants, 241 (84.3%) were from Institute A, 45 (15.7%) were from Nursing College B, and 241 (84.3%) were from Institute A. The largest group, 123 (43%), belonged to the third-year class (Table 1).

Table 1: Participant Demographic Characteristics (N=286)

Demographic Characteristics	Frequency (%)		
College of Nursing A	241(84.3%)		
College of Nursing B	45 (15.7%)		
2 nd year	122 (42.7%)		
3 rd year	123 (43%)		
4 th year	40 (14%)		
Less than 20	249 (87.1)		
21 – 25	36 (12.6)		
26 and Above	01(0.3%)		
Single	284 (99.3%)		
Married	02 (0.7%)		
Muzaffarabad	71(24.8%)		
Mirpur	113 (39.5%)		
Rawalakot	58(20.3%)		

Other than AJK	44 (15.4%)
Intermediate	259 (90.6%)
Bachelors	27(9.4%)

During clinical practice, 122 participants (42.7%) reported no supervision, while 27 (9.4%) were supervised by clinical educators. Details are provided in the figure below (Figure 1).




Figure 1: Clinical Practice Supervision

Clinical factors were categorized into hospital-based, clinical educator-related, nursing college-based, student-related, and patient-related constructs.

Hospital-based factors influencing clinical learning included learning opportunities, staff behavior, interprofessional collaboration, and available resources. While most students (71%) found collaboration beneficial, many (82.2%) felt nursing staff lacked time to support them, partly due to the high number of students from various departments. Most participants (71.1%) noted that patients were reluctant to receive care from students due to fear of mistakes, and 61.9% reported communication barriers. Additionally, 50% of students observed patient reluctance toward care from the opposite gender, with 19.2% uncertain(Table 2).

Table 2: Hospital and Patient-Related Factors Influencing Clinical Learning (N=286)

Sr. No.	Statements	Agree (%)	Uncertain (%)	Disagree (%)
01	The nursing staff does not have enough time to facilitate students' clinical learning due to the over burden of work.	235 (82.2%)	22 (7.7%)	29 (10.1%)
02	The presence of a large number of students from different health disciplines in the ward compromises the clinical learning of nursing students.	228 (79.7%)	30 (10.5%)	28 (9.7%)
03	Collaboration among clinical staff is helpful in promoting the clinical learning of nursing students.	203 (71.0%)	29 (10.1%)	54 (18.9%)
04	Discrimination against nursing students compared to students of other health disciplines by clinical staff/doctors in clinical areas is common.	197 (68.9%)	42 (14.7%)	47 (16.4%)

05	The clinical environment provides opportunities to meet the clinical learning needs of nursing students.	188 (65.8%)	52 (18.2%)	46 (16.1%)
06	The nursing staff is approachable when students require their help during clinical practice.	166 (58.0%)	59 (20.6%)	61 (21.4)
07	Nursing students are considered team members of healthcare workers in hospitals involved in patient care.	172 (60.1%)	52 (18.2%)	62 (21.6%%)
08	The clinical staff has a welcoming attitude towards students.	137 (47.7%)	76 (26.6%)	73 (25.5%)
09	Adequate opportunities are provided to perform clinical tasks during clinical practice.	136 (47.6%)	54 (18.9%)	96 (33.5%)
10	Patients are reluctant to receive any care from students due to fear of mistakes they might make.	205 (71.7%)	56 (19.6%)	25 (8.7%)
11	Adequate no. of patients is available to practice different nursing care skills.	187 (65.4%)	55 (19.2%)	44 (15.4%)
12	There are barriers to effective communication between students and patients.	177 (61.9%)	53 (18.55%)	56 (19.6%)
13	Students face religious or personal beliefs while attending the patients.	152 (53.2%)	38 (13.3%)	96 (33.5%)
14	Patients do not like to be attended to by the opposite gender.	109 (38.1%)	64 (22.4%)	113 (39.5%)

A majority of students (74.7%) recognized the importance of clinical supervision in their learning, though 65.4% felt clinical educators did not give enough time to each student. Despite this, over half of the participants acknowledged that educators were well-trained, respectful, and maintained supportive relationships with students (Table 3).

Table 3: Clinical Educators' Related Factors

Sr. No.	Statements	Agree (%)	Uncertain (%)	Disagree (%)
01	Clinical supervision is helpful to promote clinical learning.	213 (74.5%)	21 (7.3%)	52 (18.2%)
02	Mutual respect between the instructor and students is maintained during clinical supe vision.	180 (62.9%)	37 (12.9%)	59 (24.1%)
03	Clinical educators are adequately trained for clinical teaching/ demonstration and facilitation.	174 (60.8%)	38 (13.3%)	74 (25.8%)
04	Instructors have a supportive relationship with students.	161 (56.3%)	41 (14.3%)	84 (29.3%)
05	Clinical educators guide students before sending them into the clinical area (pre-conference).	160 (56.0%)	47 (16.4%)	78 (27.3%)
06	Clinical educators take/give feedback after the completion of the clinical day (post- conference).	145 (50.7%)	52 (18.2%)	89 (31.1%)
07	Timely and constructive feedback is provided to the students to enhance clinical learning.	124 (43.3%)	47 (16.4%)	115 (40.2%)

0	18	Clinical educators encourage students to ask questions and discuss clinical assignments/ work.	120 (41.9%)	50 (17.5%)	116 (40.6%)
0	9	Clinical educators are readily available to assist students in their learning.	77 (26.9%)	42 (14.7%)	167 (58.4%)
1	0	The clinical educators provide sufficient time to each student.	46 (16.0%)	53 (18.5%)	187 (65.4%)

While 68.2% of participants felt theoretically prepared for clinical practice, many reported issues such as the improper student-to-instructor ratio (65.8%), inadequate clinical supervision (62.2%), and a lack of clinical conferences and seminars (60.9%) (Table 4).

Table 4: Nursing Colleges-Based Factors

Sr. No.	Statements	Agree (%)	Uncertain (%)	Disagree (%)
01	Students are prepared theoretically before starting clinical practice.	195 (68.2%)	41 (14.3%)	50 (17.4%)
02	The skills laboratories have enough equipment to meet the clinical needs of the students.	102 (35.6%)	53 (18.5%)	131 (45.8%)
03	All the students get equal opportunities to use the equipment during skills practice in the skills laboratories.	105 (36.7%)	41 (15.7%)	136 (47.5%)
04	Clinical conferences and seminars are arranged to promote students' clinical learning.	62 (21.7%)	50 (17.5%)	172 (60.9%)
05	One clinical educator is available for skill demonstration for 10-12 students in the clinical lab.	62 (19.2%)	36 (18.5%)	188 (65.8%)
06	The ratio of students and clinical instructors is 1:12, is available in the clinical area for guidance and supervision.	55 (19.2%)	53 (18.5%)	178 (62.2%)

Most participants (84.6%) agreed that continuous clinical supervision enhances learning, though 61.1% found it stressful. Many students reported challenges such as a lack of skill preparedness, fear of making mistakes, a theory-practice gap, and underreporting errors, while 88.2% highlighted the positive impact of peer support on clinical learning (Table 5).

Table 5: Students' Related Factors

Sr. No.	Statements	Agree (%)	Uncertain (%)	Disagree (%)
01	The positive support of classmates is supportive and positively influences clinical learning.	252 (88.2%)	8 (2.8%)	26 (9.0%)
02	Students learn better when they have continuous supervision during clinical practice.	242 (84.6%)	20 (7.0%)	24 (8.4%)
03	Students are hesitant to perform tasks/skills due to fear of making mistakes.	105 (75.9%)	36 (12.6%)	33 (11.5%)
04	Students are unable to apply theory to practice due to a lack of knowledge.	206 (72.1%)	18 (6.3%)	62 (21.6%)

05	Students are hesitant to report mistakes due to fear of punishment.	207 (72.4%)	24 (8.4%)	55 (19.2%)
06	Students are unable to perform tasks/skills accurately due to a lack of preparedness.	198 (69.3%)	34 (11.9%)	54 (18.8%)
07	Students are unable to demonstrate knowledge and kills due to a lack of confidence.	200 (69.9%)	39 (13.3%)	47 (16.4%)
08	While performing clinical tasks, continuous observation is stressful for students.	176 (61.6%)	47 (15.4%)	65 (22.7%)
09	Students are unable to communicate effectively with patients, clinical educators, and clinical staff.	122 (42.6%)	65 (22.7%)	99 (34.6%)

DISCUSSIONS

A marked gender disparity was observed, with no male students enrolled in the public institution and only six males in the private college. This contrasts with findings from Khyber Pakhtunkhwa (2022), where male enrollment predominated (73%) [16]. According to the World Health Organization (WHO), male nurses constitute only 18.55% of Pakistan's nursing workforce, well below the Pakistan Nursing Council's recommended 50:50 ratio, indicating a persistent gender imbalance [17]. A major issue identified was the inadequacy of clinical supervision, consistent with studies from Karachi (2024), Africa (2022), Japan (2019), and Pakistan (2019) [6,18-20]. Globally, inconsistent supervisory structures remain a concern, while the need for competent clinical educators has been underscored in recent studies [21-22]. A conducive CLE is essential for effective learning, as also reported previously [10]. In the current study, 56.8% of participants described their CLE as supportive, a higher proportion than in earlier Pakistani studies [23-24]. Positive staff collaboration (71%) was a strong facilitator of learning, consistent with earlier findings [25]. However, challenges such as limited staff approachability, discrimination (68.9%), and workload pressures mirrored findings from Tanzania and other international studies [11,26-28]. Overcrowded clinical placements (79.7%) further restricted practical exposure, aligning with previous research [29]. Theoretical preparation was generally adequate, with 68.2% of participants reporting being well-prepared before clinical practice. This contrasts with findings from Nigeria (2016) and Iran (2018) [30, 31]. Nonetheless, a significant theory-practice gap persists, reported by over 70% of students, consistent with recent studies [9,25]. Possible reasons include inadequate supervision, limited clinical conferences, and insufficiently aligned skill-lab experiences. A high educator-student ratio (1:12) also compromised supervision quality, echoing findings from Canada (2018) [32]. Continuous supervision was viewed as beneficial by most students (84.6%), though many found it

stressful, similar to previous results [33]. This may be attributed to performance anxiety and fear of evaluation. Conversely, peer support was identified as a major enabler of clinical learning (88.2%), consistent with prior studies [30]. Communication barriers were another key concern, with 61.9% of students reporting difficulties in interacting with patients, largely due to language differences and patients' reluctance to be treated by students. Similar challenges have been documented in Pakistan (2016), England, and Kirkuk (2020) [22,34-35]. Such barriers hinder confidence-building and clinical competence.

CONCLUSIONS

Various factors were identified in the current study that influence the process of clinical learning, including a supportive clinical environment, positive peer and educator relationships, clear objectives, and task preparedness. However, barriers such as high student-educator ratios, staff discrimination, inadequate resources, and fear of errors hinder learning. To enhance clinical learning, institutions should adopt recommended supervision ratios, hire qualified educators, equip skills labs, and collaborate with clinical staff. Future multicentered and interventional studies are essential to explore experiences and evaluate strategies for improving nursing students' clinical learning. Due to time constrain study was kept limited to only two institutions by using a simple quantitative study technique.

Authors Contribution

Conceptualization: SN, AZ, SI, BS

Methodology: SN

Formal analysis: SN, AZ, SI, BS

Writing review and editing: SN, AZ, BS

All authors have read and agreed to the published version of the manuscript

Conflicts of Interest

All the authors declare no conflict of interest.

Source of Funding

The author received no financial support for the research, authorship and/or publication of this article.

REFERENCES

- [1] Volansky KJ. What are the Best Practices to Teach "Hands-on" Skills in a Blended Environment?. Journal of Applied Learning and Teaching. 2020 Mar; 3(1): 80-9.
- [2] Mamaghani EA, Rahmani A, Hassankhani H, Saunders C, Dean S, Ferguson C, et al. Effective Characteristics of Iranian Nursing Students in Their Relationship with Clinical Nurses. Journal of Caring Sciences. 2019 Sep; 8(3): 173–9. doi: 10.15171/jcs.2019.025.

- [3] Karimollahi M. An Investigation of Nursing Students' Experiences in an Iranian Psychiatric Unit. Journal of Psychiatric and Mental Health Nursing. 2012 Oct; 19(8): 738–45. doi: 10.1111/j.1365-2850.2011.01850.x.
- [4] Angasu K, Bekela T. Achievement of Clinical Learning Outcomes and Associated Factors Among Midwifery and Nursing Undergraduate Students of Jimma University, Ethiopia. Advances in Medical Education and Practice. 2021 Aug; 12: 987–94. doi: 10.2147/AME P.S321116.
- [5] Chandio IA, Channar HB, Khatoon J, Abass Z, Areej S, Aghani S. Issues in Clinical Learning Environment Faced by Female Nursing Students at Jamshoro, Pakistan: Clinical Learning Environment Faced by Female Nursing Students. Pakistan Journal of Health Sciences. 2024 Aug;5(8): 236–41. doi: 10.54393/pjhs. v5i08.1923.
- [6] Amoo SA and Enyan NI. Clinical Learning Experiences of Nursing and Midwifery Students: A Descriptive Cross-Sectional Study. International Journal of Africa Nursing Sciences. 2022 Jan; 17: 100457. doi: 10.1016/j.ijans.2022.100457.
- [7] Hashemiparast M, Negarandeh R, Theofanidis D. Exploring the Barriers of Utilizing Theoretical Knowledge in Clinical Settings: A Qualitative Study. International Journal of Nursing Sciences. 2019 Oct; 6(4): 399-405. doi: 10.1016/j.ijnss.2019.09.008.
- [8] Abbas Z, Channar HB, Chandio IA, Areej S, Ogahi NA, Khuwaja Z. Nursing Students' Satisfaction Regarding Clinical Learning Environment at Liaqat College of Nursing for Female. Journal of Asian Development Studies. 2024 Sep; 13(3): 489–95. doi: 10.62345/jads. 2024.13.3.41.
- [9] Ibrahim AF, Abdelaziz TM, Akel DT. The Relationship Between Undergraduate Nursing Students' Satisfaction About Clinical Learning Environment and Their Competency Self-Efficacy. Journal of Nursing Education and Practice. 2019; 9(11): 92–100. doi: 10.5430/jnep.v9n11p92.
- [10] Elkhateeb MS. Nursing Students and Clinical Nursing Instructors' Perceptions about the Characteristics of an Effective Clinical Instructor and Clinical Training Policies in Gaza Strip (Doctoral dissertation, AL-Quds University). 2019.
- [11] Gemuhay HM, Kalolo A, Mirisho R, Chipwaza B, Nyangena E. Factors Affecting Performance in Clinical Practice Among Preservice Diploma Nursing Students in Northern Tanzania. Nursing Research and Practice. 2019; 2019(1): 3453085. doi: 10.1155/2019/3453085.
- [12] Levett-Jones T, Hoffman K, Dempsey J, Jeong SY, Noble D, Norton CA, et al. The 'Five Rights' of Clinical

- Reasoning: An Educational Model to Enhance Nursing Students' Ability to Identify and Manage Clinically 'At Risk' Patients. Nurse Education Today. 2010 Aug; 30(6): 515-20. doi: 10.1016/j.nedt.2009.10. 020.
- [13] Arkan B, Ordin Y, Yılmaz D. Undergraduate Nursing Students' Experience Related to Their Clinical Learning Environment and Factors Affecting Their Clinical Learning Process. Nurse Education in Practice. 2018 Mar; 29: 127-32. doi: 10.1016/j.nepr.20 17.12.005.
- [14] Jho MY. Effects of Core Fundamental Nursing Skills Education on Self-Efficacy, Clinical Competence and Practice Satisfaction in Nursing Students. Journal of Korean Academy of Fundamental Nursing. 2014; 21(3): 292-301. doi: 10.7739/jkafn.2014.21.3.292.
- [15] Belay AE, Tegegne ET, Shitu AK, Belay KE, Belayneh AG. Satisfaction Towards Clinical Learning Environment and Its Associated Factors Among Undergraduate Nursing Students at Public Universities in Northwest Ethiopia: A Multi-Center Cross-Sectional Study. International Journal of Africa Nursing Sciences. 2024 Jan; 20: 100666. doi: 10.1016/j.ijans.2024.100666.
- [16] Younas A, Rasheed SP, Sommer J. Current Situation and Challenges Concerning Nursing Education in Pakistan. Nurse Education in Practice. 2019 Nov; 41: 102638. doi: 10.1016/j.nepr.2019.102638.
- [17] Khatoon S, Sha SY, Khan A, Ali Z, Ali SA. Assessment of Clinical Learning Environment, Supervision (CLES) Among Nursing Students, Hyderabad, Sindh, Pakistan. Open Journal of Nursing. 2019 Apr;9(4): 408-18. doi: 10.4236/ojn.2019.94037.
- [18] Saleem S. Between Guidelines and on Ground Realities: Reimagining Clinical Ethics Consultation in Pakistan (Doctoral dissertation, Saint Louis University). 2025.
- [19] Abdulmutalib IA, El Seesy NA, Yousuf SA. Nursing Students' Opinions on Facilitating and Hindering Factors in the Clinical Training Setting. American Journal of Nursing Science. 2019; 8(1): 1-8. doi: 10.116 48/j.ajns.20190801.11.
- [20] Bibi A, Sohni, Ur-Rehman A, Ahmed F, Iqbal N, Sultan A. Factors That Affect the Performance of Undergraduate Nursing Students of Khyber Pukhtankhwa, Pakistan. Pakistan Journal of Health Sciences. 2022; 3(3): 33-7. doi: 10.54393/pjhs.v3i03. 83.
- [21] Zhang J, Shields L, Ma B, Yin Y, Wang J, Zhang R, et al. The Clinical Learning Environment, Supervision and Future Intention to Work as a Nurse in Nursing Students: A Cross-Sectional and Descriptive Study.

- BMC Medical Education. 2022 Jul; 22(1): 548. doi: 10.1186/s12909-022-03609-y.
- [22] Afzal Y, Zeb A, Gul S, Abbas S, Altaf S, Muntazir K. Perceptions of Newly Enrolled Nursing Students Regarding Clinical Practice. Journal of Gandhara Nursing and Allied Health Sciences. 2022 Dec; 2(2): 46-52. doi: 10.37762/jfinph.72.
- [23] Victor G, Ishtiaq M, Iqbal N. Perception of Clinical Environment Among Nursing Students of a Private College of Nursing in Pakistan. Medical Channel. 2016 Apr; 22(2): 1-8.
- [24] Baraz S, Memarian R, Vanaki Z. Learning Challenges of Nursing Students in Clinical Environments: A Qualitative Study in Iran. Journal of Education and Health Promotion. 2015 Jan; 4(1): 52. doi: 10.4103/22 77-9531.162345.
- [25] Jamshidi N, Molazem Z, Sharif F, Torabizadeh C, Najafi Kalyani M. The Challenges of Nursing Students in the Clinical Learning Environment: A Qualitative Study. The Scientific World Journal. 2016;2016(1): 1846178. doi: 10.1155/2016/1846178.
- [26] Killam LA, Heerschap C. Challenges to Student Learning in the Clinical Setting: A Qualitative Descriptive Study. Nurse Education Today. 2013 Jun; 33(6): 684-91. doi: 10.1016/j.nedt.2012.10.008.
- [27] Wallace L, Bourke MP, Tormoehlen LJ, Poe-Greskamp MV. Perceptions of Clinical Stress in Baccalaureate Nursing Students. International Journal of Nursing Education Scholarship. 2015; 12(1): 91-8. doi: 10.1515/ijnes-2014-0056.
- [28] Tiwaken SU, Caranto LC, David JJ. The Real World: Lived Experiences of Student Nurses During Clinical Practice. International Journal of Nursing Science. 2015; 5(2): 66-75.
- [29] Anarado AN, Agu GU, Nwonu El. Factors Hindering Clinical Training of Students in Selected Nursing Educational Institutions in Southeastern Nigeria. Nurse Education Today. 2016 May; 40: 140-5. doi: 10.1016/j.nedt.2016.02.022.
- [30] Farzi S, Shahriari M, Farzi S. Exploring the Challenges of Clinical Education in Nursing and Strategies to Improve It: A Qualitative Study. Journal of Education and Health Promotion. 2018 Jan; 7(1): 115. doi: 10.4103 /jehp.jehp_169_17.
- [31] Williams K, West EA. Approaches to Nursing Skills Training in Three Countries. International Nursing Review. 2012 Jun; 59(2): 1-8. doi: 10.1111/j.1466-7657. 2011.00942.x.
- [32] Luhanga FL. The Traditional-Faculty Supervised Teaching Model: Nursing Faculty and Clinical Instructors' Perspectives. Journal of Nursing Education and Practice. 2018; 8(6): 124-37. doi: 10.54

- 30/jnep.v8n6p124.
- [33] Serçekuş P, Başkale H. Nursing Students' Perceptions About Clinical Learning Environment in Turkey. Nurse Education in Practice. 2016 Mar;17: 134–8. doi:10.1016/j.nepr.2015.12.008.
- [34] Mohammed HA, Ali RI, Mussa YM. Assessment of Adult Patients Satisfaction Regarding Nursing Care in Different Hospitals in Kirkuk City. Kirkuk University Journal of Scientific Studies. 2016; 11: 222–36. doi: 10.32894/kujss.2016.124652.
- [35] Hamshire C, Willgoss TG, Wibberley C. The Placement Was Probably the Tipping Point: The Narratives of Recently Discontinued Students. Nurse Education in Practice. 2012 Jul; 12(4): 182–6. doi: 10.1016/j.nepr.2011.11.004.